Safety Data Sheet (SDS)

Revision Number: 4.0	Last updated 25 July 2019	
1. Product and Company Identificatio	<u>n</u>	
Product Name:	SHLP6 (Small humanin-like peptide 6) H-MLD QDI PMV QPL LKV RLF ND-OH	
Manufacturer/Supplier:	AnaSpec, Inc. www.anaspec.com 34801 Campus Drive Fremont, CA 94555 Tel: 510-791-9560 Fax: 510-791-9572 Email: service@anaspec.com Kaneka Eurogentec SA, Rue du Bois Saint Jean 5 4102 Seraing Belgium Tel. +32-4-3727400 Fax. +32-4-3727500 E-mail info@eurogentec.com Kaneka Eurogentec Helpdesk Tel. +32-4-3727665	
Catalog Number	AS-65591	
Relevant identified uses of the substance/preparation and uses advised against	For laboratory use only.	
Emergency information	Please contact the regional Eurogentec representation in your country or Kaneka Eurogentec S.A. directly (from 8 am to 6 pm)	

Emergency Overview: We do recommend handling all chemicals with caution. Use proper protective equipment (PPE) when handling chemicals. To our knowledge, the hazards of this material have not been thoroughly investigated.

GHS Hazard Classification:

GHS Physical Hazards: Not a dangerous substance according to the GHS

GHS Health and Environmental Hazards: Not a dangerous substance according to the GHS

GHS Signal Words: None

GHS Hazard Statements: None

GHS Precautionary Statements: None

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

HMIS Classification

Health hazard: 0

Chronic Health Hazard: 0

Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity Hazard: 0

3. Composition

Ingredients/Components:

Chemical Name: SHLP6 (Small humanin-like peptide 6)

H-MLD QDI PMV QPL LKV RLF ND-OH

Molecular formula: NA Molecular weight: 2385.9

CAS-No NA EC-No NA

4. First Aid Measures

Inhalation: If dust is inhaled, remove from contaminated area.

Encourage patient to blow nose to ensure clear passage of breathing.

If irritation or discomfort persists seek medical attention.

If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) maintain open airway and prevent aspiration. Observe the patient carefully. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfor drink. Seek medical advice. Skin: If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. Eyes: If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or wears and the procedures of the procedure of the procedure of the parameters of the procedure of t	to
maintain open airway and prevent aspiration. Observe the patient carefully. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfor drink. Seek medical advice. Skin: If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. Eyes: If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	to
Observe the patient carefully. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfor drink. Seek medical advice. Skin: If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. Eyes: If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	
Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfor drink. Seek medical advice. Skin: If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. Eyes: If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or wears a spillage from entering drains or wears and selective gloves.	
drink. Seek medical advice. Skin: If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. Eyes: If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	
drink. Seek medical advice. Skin: If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. Eyes: If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	ably
Seek medical advice. Skin: If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. Eyes: If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	,
Skin: If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. Eyes: If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	
Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. Eyes: If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	
Seek medical attention in event of irritation. Eyes:	
Eyes: If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or wear the special speci	
Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	
Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or wear the special spray or fog. Alert Emergency Responders and tell them location and nature of hazard.	
eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	
If pain persists or recurs seek medical attention. 5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	the
5. Fire Fighting Measures Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	
Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	
Extinguishing media: Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or we	
Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w	
Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w	
Dry chemical powder. BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or wear to the procedure of the procedu	
BCF (where regulations permit). Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w	
Carbon dioxide Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w	
Special firefighting procedures: Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w	
hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w	
hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w	
Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or w	
Prevent, by any means available, spillage from entering drains or w	
	ator
0011400	ш
course.	
Use water delivered as a fine spray to control fire and cool adjacent	
area.	
DO NOT approach containers suspected to be hot.	
Cool fire exposed containers with water spray from a protected	
location.	
If safe to do so, remove containers from path of fire.	
Equipment should be thoroughly decontaminated after use.	
Unusual fire and explosions hazards: Emits toxic fumes under fire conditions	
6. Accidental Release Measures	
Spill response Remove all ignition sources.	
Clean up all spills immediately.	
Avoid contact with skin and eyes.	
Control personal contact by using protective equipment.	
Use dry clean up procedures and avoid generating dust.	
Place in a suitable, labeled container for waste disposal	
Containment Avoid all personal contact, including inhalation.	
1 , 5	
Wear protective clothing when risk of exposure occurs.	
Use in a well-ventilated area.	
DO NOT enter confined spaces until atmosphere has been checked.	
DO NOT allow material to contact humans, exposed food or food utensils.	
Avoid contact with incompatible materials.	

	When handling, DO NOT eat, drink or smoke.
	Keep containers securely sealed when not in use.
	Avoid physical damage to containers.
	Always wash hands with soap and water after handling.
	Use good occupational work practice.
	Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate
	ignition source.
	Do NOT cut, drill, grind or weld such containers
PPE	Use personal protective equipment
7. Handling and Stor	ane
8. Exposure Controls	/ Personal Protection
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals;
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur,
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of:
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge;
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type;
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type; (c): fresh-air hoods or masks
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type;
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type; (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particle, may be prevented by bonding and
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type; (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particle, may be prevented by bonding and grounding.
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type; (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particle, may be prevented by bonding and grounding. Powder handling equipment such as dust collectors, dryers and mills may require

9. Physical and Chemical Properties

PPE

remove the contaminant.

Use personal protective equipment

	Solid Not available Not available
Solubility in Water	Not available
Specific Gravity	Not available
рН	Not available
Boiling Point	Not available
Melting Point	Not available
Flash Point	N/A
Vapor Pressure:	N/A
Vapor Density:	N/A

10. Stability and Reactivity

Thermal Decomposition	No data available
Dangerous Products of Decomposition	No data available

Dangerous Reactions	COx, NOx when burned
Keen container tightly closed in a dry	well-ventilated place. Store in -20°C refrigerator

11. Toxicological Information

RTECS Number	N/A
Toxicity	No information available.
Health Hazards	Although ingestion is not thought to produce harmful
	effects, the material may still be damaging to the
	health of the individual following ingestion, especially
	where pre-existing organ (e.g. liver, kidney)
	damage is evident. In an occupational setting however,
	ingestion of insignificant quantities is not thought to be
	cause for concern.
Potential Hazards	Not available
Carcinogenicity:	No significant acute toxicological data identified
OSHA Permissible Exposure Limit(PEL) Data	N/A
ACGIH Threshold Limit Values (TLV)	N/A

Reproductive Toxicity: No information available

12. Ecological Information

No information available.

13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

14. Transport Information

Hazard Class	N/A
Identification Number	N/A
Packing Group	N/A
Proper Shipping Name (DOT)	N/A

15. Regulatory Information

California Proposition 65: N/A

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.