# Safety Data Sheet (SDS)

1. Product and Company Iden	ntification	
Product Name:	1% NH <sub>4</sub> OH Solution	
Manufacturer/Supplier:	AnaSpec, Inc.	Eurogentec S.
	www.anaspec.com	www.eurogentec.com
	34801 Campus Drive	LIEGE Science Par
	Fremont, CA 94555	4102 Seraing, Belgiu
	Tel: 510-791-9560	Tel: +32-4-372740
	Fax: 510-791-9572	Fax: +32-4-372750
	Email: service@anaspec.com	EGT Helpdesk, Tel: +32-4-372750
Catalog Number	AS-61322	•

#### 2. Hazards Identification

*Emergency Overview:* We do recommend handling all chemicals with caution. Use proper protective equipment when handling chemicals. To our knowledge, the hazards of this material have not been thoroughly investigated.

GHS Hazard Classification:

GHS Physical Hazards: Not a dangerous substance according to the GHS

GHS Health and Environmental Hazards

GHS Signal Words: None

GHS Hazard Statements: H303, H313, Maybe harmful if swallowed or in contact with skin. Wear PPE.

GHS Precautionary Statements: P302, P340 May be respiratory irritant if inhaled. May cause respiratory tract

irritation.

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

HMIS Classification

Health hazard: 0

Chronic Health Hazard: 0

Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity Hazard: 0

## 3. Composition

Ingredients/Components:

Chemical Name: 1% NH<sub>4</sub>OH Solution

Molecular formula: NH<sub>5</sub>O Molecular weight: 35.05 CAS-No 1336-21-6 EC-No NA

## 4. First Aid Measures

Inhalation:	If dust is inhaled, remove from contaminated area.		
Innatation.			
	Encourage patient to blow nose to ensure clear passage of breathing.		
	If irritation or discomfort persists seek medical attention.		
Ingestion:	If swallowed do <b>NOT</b> induce vomiting.		
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to		
	maintain open airway and prevent aspiration.		
	Observe the patient carefully.		
	Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably		
	drink.		
	Seek medical advice.		
Skin:	If skin or hair contact occurs:		
	Flush skin and hair with running water (and soap if available).		
	Seek medical attention in event of irritation.		
Eyes:	If this product comes in contact with the eyes:		
	Wash out immediately with fresh running water.		
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the		
	eyelids by occasionally lifting the upper and lower lids.		
	If pain persists or recurs seek medical attention.		
	1		

Extinguishing modia:	<u>ures</u>	Water spray or fog.
Extinguishing media:		Alcohol resistant foam.
		Dry chemical powder.
		BCF (where regulations permit).
		Carbon dioxide
		Curon dionide
Special firefighting procedures:		Alert Emergency Responders and tell them location and nature of
		hazard.
		Wear breathing apparatus plus protective gloves.  Prevent, by any means available, spillage from entering drains or water
		course.
		Use water delivered as a fine spray to control fire and cool adjacent
		area.  DO NOT approach containers suspected to be het
		<b>DO NOT</b> approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected
		location.
		If safe to do so, remove containers from path of fire.
		Equipment should be thoroughly decontaminated after use.
		-qqqqqqqqqqqqq
Unusual fire and explosions hazards:		Emits toxic fumes under fire conditions
6. Accidental Release	<u>Measures</u>	
Spill response		Il ignition sources.
		all spills immediately.
		tact with skin and eyes.
		ersonal contact by using protective equipment.
		ean up procedures and avoid generating dust.
		suitable, labeled container for waste disposal personal contact, including inhalation.
<i>C</i> , ; ,	A 11 - 11	nersanai cantact inciliaing innalation
Containment		, ,
Containment	Wear prot	ective clothing when risk of exposure occurs.
Containment	Wear prot Use in a w	ective clothing when risk of exposure occurs. vell-ventilated area.
Containment	Wear prot Use in a w DO NOT	ective clothing when risk of exposure occurs.  rell-ventilated area.  enter confined spaces until atmosphere has been checked.
Containment	Wear prot Use in a w DO NOT DO NOT	ective clothing when risk of exposure occurs.  Yell-ventilated area.  The enter confined spaces until atmosphere has been checked.  The enter confined spaces until atmosphere has been checked.  The enter confined spaces until atmosphere has been checked.
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con	ective clothing when risk of exposure occurs.  Yell-ventilated area.  enter confined spaces until atmosphere has been checked.  allow material to contact humans, exposed food or food utensils.  ttact with incompatible materials.
Containment	Wear prof Use in a w DO NOT DO NOT Avoid con When han	ective clothing when risk of exposure occurs.  rell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke.
Containment	Wear prof Use in a w DO NOT DO NOT Avoid con When han Keep cont	ective clothing when risk of exposure occurs.  rell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. ttact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use.
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont Avoid phy	ective clothing when risk of exposure occurs.  rell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. tact with incompatible materials. dling, DO NOT eat, drink or smoke.
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont Avoid phy Always w	ective clothing when risk of exposure occurs.  rell-ventilated area.  enter confined spaces until atmosphere has been checked.  allow material to contact humans, exposed food or food utensils.  tact with incompatible materials.  dling, DO NOT eat, drink or smoke.  ainers securely sealed when not in use.  resical damage to containers.
Containment	Wear prot Use in a w DO NOT DO NOT Avoid con When han Keep cont Avoid phy Always w Use good Empty con	ective clothing when risk of exposure occurs.  Yell-ventilated area.  Yell-ventilated area.
Containment	Wear prof Use in a w DO NOT of DO NOT of Avoid con When han Keep cont Avoid phy Always we Use good Empty con following	ective clothing when risk of exposure occurs.  Yell-ventilated area.  Tenter confined spaces until atmosphere has been checked.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.
Containment	Wear prot Use in a w DO NOT a DO NOT a Avoid con When han Keep cont Avoid phy Always wa Use good Empty con following ignition so	ective clothing when risk of exposure occurs.  rell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. rsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ource.
Containment	Wear prot Use in a w DO NOT a DO NOT a Avoid con When han Keep cont Avoid phy Always wa Use good Empty con following ignition so	ective clothing when risk of exposure occurs.  Yell-ventilated area.  Tenter confined spaces until atmosphere has been checked.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.  Tallow material to contact humans, exposed food or food utensils.
Containment PPE	Wear prot Use in a w DO NOT a DO NOT a Avoid con When han Keep cont Avoid phy Always w Use good Empty con following ignition so Do NOT c	ective clothing when risk of exposure occurs.  rell-ventilated area. enter confined spaces until atmosphere has been checked. allow material to contact humans, exposed food or food utensils. stact with incompatible materials. dling, DO NOT eat, drink or smoke. ainers securely sealed when not in use. rsical damage to containers. ash hands with soap and water after handling. occupational work practice. ntainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ource.
	Wear prot Use in a w DO NOT a DO NOT a Avoid con When han Keep cont Avoid phy Always w Use good Empty con following ignition so Do NOT c	ective clothing when risk of exposure occurs.  rell-ventilated area.  enter confined spaces until atmosphere has been checked.  allow material to contact humans, exposed food or food utensils.  tact with incompatible materials.  dling, DO NOT eat, drink or smoke.  ainers securely sealed when not in use.  rsical damage to containers.  ash hands with soap and water after handling.  occupational work practice.  ntainers may contain residual dust which has the potential to accumulate settling. Such dusts may explode in the presence of an appropriate ource.  cut, drill, grind or weld such containers

8. Exposure Controls	/ Personal Protecti	<u>on</u>	
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction.  Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace.  If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of:  (a): particle dust respirators, if necessary, combined with an absorption cartridge;  (b): filter respirators with absorption cartridge or canister of the right type;  (c): fresh-air hoods or masks  Build-up of electrostatic charge on the dust particle, may be prevented by bonding and grounding.  Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting.  Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to efficiently remove the contaminant.		
PPE	Use personal prote		
<b>9. Physical and Chemi</b> Physical State Odour	Colorless liquid   Not available		
Solubility in Water	Not available		
Specific Gravity	Not available		
pН	Not available		
Boiling Point	Not available		
Melting Point	Not available		
Flash Point	N/A		
Vapor Pressure:	N/A		
Vapor Density:	N/A		
10. Stability and Read	<u>etivity</u>		
Thermal Decomposition	ı	No data available	
Dangerous Products of		No data available	
Dangerous Reactions		COx, NOx when burned	
	·	ventilated place. Store at room temperature.	
11. Toxicological Info	<u>rmation</u>		
RTECS Number		N/A	

Health Hazards	Although ingestion is not thought to produce harmful
	effects, the material may still be damaging to the
	health of the individual following ingestion, especially
	where pre-existing organ (e.g. liver, kidney)
	damage is evident. In an occupational setting however,
	ingestion of insignificant quantities is not thought to be
	cause for concern.
Potential Hazards	Not available
Carcinogenicity:	No significant acute toxicological data identified
OSHA Permissible Exposure Limit(PEL) Data	N/A
ACGIH Threshold Limit Values (TLV)	N/A

Reproductive Toxicity:

No information available

### 12. Ecological Information

No information available.

#### 13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

### 14. Transport Information

Hazard Class	N/A
Identification Number	N/A
Packing Group	N/A
Proper Shipping Name (DOT)	N/A

## 15. Regulatory Information

California Proposition 65: N/A

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

#### 16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed

to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.